Product Name : Print Cartridge Cyan MP C3501/ MP C3300 (Cyan toner) SDS Number : 842046

Date Prepared : 25/12/2007 Date Modified : 10/07/2017 Date : 20/06/2018



Safety Data Sheet (ISO form)

1. Product and Company Identification

	1 0		
Product Name	:Print Cartridge Cyan MP C3501/ MP C3300 (Cyan toner)		
General Use	:The Image Formation of Printing Machine or Copier		
SDS Number	:842046		
Company Name	:Ricoh Company,Ltd.		
Department	:Safety Engineering Department, Quality Management Division		
Address	:146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007 Japan		
Telephone Number	:055-920-1470, Japan		
Telefax Number	:055-920-1479, Japan		
E-mail	:msdsinfo@nts.ricoh.co.jp		

2.Compo r egulation (EC) No 1272/2008 sition/Information on Ingredients

Substance or Preparation

Preparation

Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Polyester Resin	Confidential	Confidential	50-90
Wax	Confidential	Confidential	1-10
Organic Pigment	C32H16CuN8	147-14-8	1-10
Silica	O2Si	7631-86-9	1-10
Titan Oxide	TiO2	13463-67-7	0.1-1

This product does not contain any of the following substances as ingredients.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), SVHC (substances of very high concern: published by ECHA).

And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information

Chemical Name : Titan Oxide			
CAS Number	: 13463-67-7	EEC Number	: 236-675-5
OSHA Z-Tables (USA)	: 15mg/m3	ACGIH-TLV	: 10mg/m3
NTP (USA)	: Not listed	IARC Monographs	: Group 2B
Symbol (EU)	: Not listed	R-Phrase (EU)	: Not listed
DFG-MAK (GER)	: Not listed	OELs-TWA (Australia)	: 10mg/m3
California Proposition 65 (USA)	: Listed		

3. Hazards Identification

The Most Important Hazards Adverse Human Health Effects There are no significant hazards expected with intended use. Environmental Effects There are no significant hazards expected with intended use. Physical and Chemical Hazards There are no significant hazards expected with intended use. Specific Hazards Dust explosion (like most finely grained organic powders)

Main Symptoms

Acute Inhalation Toxicity

Exposure to excessive amount of dust may cause physical irritation to respiratory tract.

Acute Oral Toxicity

Low acute toxicity in animal experiment.

Acute Eye Irritation

May cause slight transient irritation.

Acute Skin Irritation

May be non-irritant.

Sensitization

From test no apparent significant hazards are expected. (Only few cases reported on incidental allergy-related conjunctivities or dermatities.)

Chronic Effect

Slight pulmonary fibrosis has been reported in rats upon chronic inhalation exposure to a toner at 4mg/m3 every day for 2 years. No pulmonary change was found at 1mg/m3. These findings show that exposure to excessive amounts of powder may cause damage to lungs. However, normal use and handling of this product as intended, does not result in inhalation of excessive amounts of powder.

Carcinogenicity

Titanium dioxide contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat.

But oral/skin test does not show carcinogenicity.

In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use. Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey.

The Classification of The Chemical Product

This preparation is not classified as dangerous according to Regulation (EC) No 1272/2008.

4. First-Aid Measures

Inhalation

Remove from exposure into fresh air and rinse mouth with water. Seek medical advice.

Skin Contact

Wash thoroughly with soapy water.

Eye Contact

Flush with a large amount of water until particles are removed. Seek medical advice.

Ingestion

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Notes to a physician

Not applicable

5. Fire-Fighting Measures

Extinguishing Media

CO2, dry chemicals, foam or water.

Extinguishing Media to Avoid

Not applicable.

Specific Hazards

Can form explosive dust-air mixtures when finely dispersed in air.

Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

6.Accidental Release Measures

Personal Precautions

Do not breathe in dust.

Environment Precautions

Do not flush into sewers or watercourses.

Methods for Cleaning Up

Fine powder may form explosive dust-air mixture.Confirm there is no source of fire and if there is a source, remove it.Sweep up spilled powder slowly and clean reminder with wet cloth.If a vacuum cleaner is used, a dust explosion-proof type must be chosen.

7.Handling and Storage

Handling
Technical Measures/Precautions
Not applicable
Safe Handling Advice
Do not handle in areas where there is wind or draught, this may cause dust to get into eyes.
Avoid breathing in dust.
Storage
Technical Measures
Not applicable
Storage Conditions
Keep out of reach of children.
Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees
centigrade for a long time. Avoid direct sunlight.
Packaging Material
Not applicable
Specific Use(s)
Image formation in printing machines or copiers.

8. Exposure Controls/Personal Protection

Technical Measures

Use adequate ventilation. None required with intended use.

Control Parameters USA OSHA PEL (TWA) ACGIH TLV (TWA) DFG MAK Personal Protection Respiratory Protections

: 15mg/m3 (Total dust) : 10mg/m3 (Inhalable fraction) : 4.0mg/m3 (Total dust) 5.0mg/m3 (Respirable fraction) 3.0mg/m3 (Respirable fraction) 1.5mg/m3 (Respirable fraction) None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator. Hand Protection

Use vinyl or rubber gloves if necessary.

Eye Protection

Put on goggles if necessary.

Skin and Body Protection

Wear chemical-resistant apron or other impervious clothing if necessary.

Hygiene Measures

Wash hands after handling.

9. Physical and Chemical Properties

Appearance	
Physical State	: Solid
Form	: Powder
Colour	: Cyan
Odour	: Slightly plastic odour

Information

pH: Not applicable	
Specific Temperatures/Temperature Ranges at Which Changes in Physical State Occu	ur
Boiling Point (degrees centigrade) : Not applicable	
Melting Point (degrees centigrade) : (Softening point) Approx.110	

Decomposition Temperature (degrees centigrade)	:	Not available
Flash Point (degrees centigrade)	:	Not applicable
Explosion Properties (degrees centigrade)	:	This product is considered a nonexplosive material under
		normaluse

Vapor Pressure (Pa)	: Not applicable	
Vapor Density(AIR=1)	: Not applicable	
Density (g/cm3)	: Approx.1.2	Measuring Temp (degrees centigrade) : 25

Solubility Water Solubility (g/L) : Insoluble Chloroform Solubility (g/L) : Slightly soluble Octanol/Water Partition Coefficient Not available Other Information

Flammability	: Not flammable
Viscosity (Pa • s)	: Not applicable
Volatile (%)	: 0.2 or below

10.Stability and Reactivity

Stability Stable Hazardous Reaction Dust explosion, like most finely grained organic powders.

Conditions to Avoid Not applicable in normal use. Materials to Avoid Not applicable in normal use. Hazardous Decomposition Products Decomposition products will not occur.

11. Toxicological Information

Acute Toxicity Acute Oral Toxicity (LD50) : 5000 or over [mg/kg] (Rat) (Based on other product test results of similar ingredients.) Acute Dermal Toxicity : Not available Acute Inhalation Toxicity : Not available Local effects Acute Skin Irritation(PII) : 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) Acute Eye Irritation : Non-irritant (Based on other product test results of similar ingredients.) Sensitization Acute Allergenic Effects : Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust.

Mutagenicity : Negative (Ames test)

Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

12. Ecological Information

Mobility	: No data are av	vailable on any adverse effects on the environment.
Persistence/Degradability	: Not available	
Bioaccumulation	: Not available	
Ecotoxicity		
Acute Toxicity for I	Fish (LC50)	: Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/96hr
Acute Toxicity for I	Daphnia (EC50)	: Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/48hr

Algae Inhibition Test (IC50)	: Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/72hr

13.Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements. Disposal methods: Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations. Precautions:

Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

14. Transport Information

International Regulations Land Transport RID/ADR : Not applicable DOT 49 CFR : Not applicable ADNR : Not applicable Sea Transport IMDG Code : Not applicable Air Transport ICAO-TI/IATA-DGR : Not applicable The UN Classification Number : Not applicable Class : Not applicable Specific Precautionary Transport Measures and conditions Avoid direct sunlight in quality.

15.Regulatory Information

Regulations EU Information Information on the label (Regulation (EC) No 1272/2008) Symbols & : Not required Indications **R-Phrase** : Not required : Not required S-Phrase Special Precautions under r egulation (EC) No 1272/2008 Annex II : Not required Regulation (EC) No 1907/2006 annex XVII This product complies with applicable rules and regulations under Regulation (EC) No 1907/2006 annex XVII. Regulation (EC) No 689/2008 Not regulated **US** Information Information on the label : Not required TSCA (Toxic Substances Control Act) : This toner complies with all applicable rules and regulations under TSCA. SARA Title III 313 Reportable Ingredients : Not regulated California Proposition 65: Not regulated Canada Information WHMIS Controlled product : Not a controlled product

16.Other Information

NFPA Hazard Rating: National Fire Protection Agency (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0

HMIS Rating : The National Paint and Coating Association (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0

Literature References : ANSI Z400.1-1993 ISO 11014-1 IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93" NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices

19/06/2018		Ricoh Company,Ltd. 842046 Print Cartridge Cyan MP C3501/ MP C3300 (Cyan toner)		
OSHA Z- NTP (USA		 : US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3 : US Department of Health and Human Services National Toxicology Program Annual Report on Carcinogens 		
DFG-MAK		DFG List of MAK and BAT Value		
Symbol (E		: Regulation (EC)No.1272/2008		
91/155/ EE		: EU Directive 91/155/ EEC		
1272/2008		: Regulation (EC) No 1272/2008		
CLP (EC)N	Io.1272/2008	: Regulation (EC)No.1272/2008 of the European Parliamant and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directive Regulation (EC) No 1272/2008, and amending Regulation (EC)No. 1907/2006		
Regulation 689/2008	(EC) No	: EU. Regulation EC No. 689/2008, Annex 1, concerning the export and import of dangerous chemicals, OJ (L60) 5,10 March 2010[replaces Reg. 304/2003]		
WHMIS C	ontrolled product	: Canada Workplace Hazardous Information System		
OELs-TWA	A (Australia)	: Guidance Note on the Interpretation of Exposure Standards for Atmospheric		
		Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]		
Abbrevia				
OSHA PEI		nissible Exposure Limit) under Occupational Safety and Health Act		
ACGIH-TI	N TLV (Thr Hygienist	eshold Limit Values) under American Conference of Governmental Industrial s		
REACH		907/2006:Council Regulation concerning the Registration, Evaluation, Authorization		
	and Restriction of Chemicals			
SVHC		es of Very High Concern		
ECHA		pean Chemicals Agency		
DFG-MAK		aximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft		
RoHS		Restriction of the use of certain Hazardous Substances in Electrical and Electronic Equipment		
TWA		Time Weighted Average		
IARC		nternational Agency for Research on Cancer		
NTP	Nationa	National Toxicology Program		
WHMIS	Workpla	ace Hazardous Information System		
NOHSC	Nationa	National Occupational Health and Safety Commission Act 1985		
		-		

Disclaimer :

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of RICOH COMPANY, LTD.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.