Office DEPOT.

SAFETY DATA SHEET TELEPHONE CLEANING WIPES PK50

	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	TELEPHONE CLEANING WIPES PK50
Product number	1511878
Internal identification	AMCA250OD
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier of	the safety data sheet
Supplier	OFFICE DEPOT Europe B.V. Columbusweg 33 5928 LA Venlo The Netherlands
	+31 (0) 77 323 8888 +31 (0) 77 323 8912 Quality.EU@OfficeDepot.com
1.4. Emergency telephone n	umber
Emergency telephone	+31 (0) 77 323 8888
SECTION 2: Hazards identifi	cation
2.1. Classification of the sub-	stance or mixture
Classification	
Physical hazards	Not Classified
Health hazards	Eye Irrit. 2 - H319 Elicitation - EUH208
Environmental hazards	Not Classified
2.2. Label elements	
Pictogram	
Signal word	Warning
Hazard statements	H319 Causes serious eye irritation. EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE, Chloromethylisothiazol-3-one and Methylisothiazol-3-one. May produce an allergic reaction.

Precautionary statements	P264 Wash contaminated skin thoroughly after handling.
	P280 Wear protective gloves/protective clothing/eye protection/face protection.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 If eye irritation persists: Get medical advice/attention.
	P102 Keep out of reach of children.

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

3.2. Mixtures				
PROPAN-2-OL				10-30
CAS number: 67-63-0	EC number: 200-661	1-7	REACH registration number: 01- 2119457558-25-XXXX	
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336		Classification (67/5 F;R11 Xi;R36 R67	48/EEC or 1999/45/EC)	
d-LIMONENE				<1
CAS number: 5989-27-5	EC number: 227-813	3-5	REACH registration number: 01- 2119529223-47-XXXX	
M factor (Acute) = 10	M factor (Chronic) =	1		
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		Classification (67/5 R10 R43 Xi;R38 N;	48/EEC or 1999/45/EC) R50/53	
1,2-BENZISOTHIAZOL-3(2H)-ONE				<1
CAS number: 2634-33-5 M factor (Acute) = 1	EC number: 220-120)-9		
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400		Classification (67/5 Xn;R22 R43 Xi;R38	48/EEC or 1999/45/EC) 3,R41 N;R50	

Chloromethylisothiazol-3-one and Methylisothiazol-3-one		<1%
CAS number: 55965-84-9		
M factor (Acute) = 10	M factor (Chronic) = 1	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 3 - H301	T;R23/24/25 C;R34 R43 N;R50/53	
Acute Tox. 3 - H311		
Acute Tox. 2 - H330		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments	Ingredients not listed are classified as non-hazardous or at a concentration below reportable
	levels.

SECTION 4: First aid measures

4.1. Description of first aid measures			
Inhalation	Move affected person to fresh air at once. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.		
Ingestion	Rinse mouth thoroughly with water. Get medical attention.		
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.		
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.		
4.2. Most important symptoms and effects, both acute and delayed			
Skin contact	No specific symptoms known.		
4.3. Indication of any immedia	te medical attention and special treatment needed		
Notes for the doctor	Treat symptomatically		
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.		
5.2. Special hazards arising from the substance or mixture			
Specific hazards	No unusual fire or explosion hazards noted.		
Hazardous combustion products	Does not decompose when used and stored as recommended.		
5.3. Advice for firefighters			
Protective actions during firefighting	No specific firefighting precautions known.		
SECTION 6: Accidental release measures			

6.1. Personal precautions, protective equipment and emergency procedures			
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.		
6.2. Environmental precaution			
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.		
6.3. Methods and material for			
Methods for cleaning up	Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area		
	with plenty of water.		
6.4. Reference to other sectio	ns		
Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet. See Section 11 for additional information on health hazards. Collect and dispose of spillage as indicated in Section 13.		
SECTION 7: Handling and sto	brage		
7.1. Precautions for safe hand	lling		
Usage precautions	Avoid spilling. Avoid contact with skin and eyes.		
7.2. Conditions for safe storage	e, including any incompatibilities		
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.		
7.3. Specific end use(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.		
SECTION 8: Exposure Contro	ols/personal protection		
8.1. Control parameters Occupational exposure limits PROPAN-2-OL			
	our TWA): WEL 400 ppm 999 mg/m³		
	minute): WEL 500 ppm 1250 mg/m ³		
WEL = Workplace Exposure L	limit		
Ingredient comments	No exposure limits known for ingredient(s).		
PROPAN-2-OL (CAS: 67-63-0)			
DNEL	Industry - Dermal; :888 mg/kg/day Industry - Inhalation; :500 mg/m³ Consumer - Dermal; :319 mg/kg/day Consumer - Inhalation; :89 mg/m³ Consumer - Oral; :26 mg/kg/day		
PNEC	- Fresh water; 140.9 mg/l - Marine water; 140.9 mg/l - Sediment; 552 mg/kg - Soil; 28 mg/kg		
8.2. Exposure controls			
Appropriate engineering controls	No specific ventilation requirements.		

Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield. EN166
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Gloves should conform to EN374
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash station. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. When using do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties		
Appearance	Liquid. Impregnated cloth, card or tissue	
Colour	Colourless.	
Odour	Characteristic.	
рН	pH (concentrated solution): 5-6	
Flash point	>50°C	
Solubility(ies)	Soluble in water.	
9.2. Other information		
Other information	None.	
SECTION 10: Stability and read	activity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	Not known. Will not polymerise.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid excessive heat for prolonged periods of time.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decomposition	on products	
Hazardous decomposition products	No known hazardous decomposition products.	
SECTION 11: Toxicological information		

TELEPHONE CLEANING WIPES PK50

Other health effects	There is no evidence that the product can cause cancer.
Acute and chronic health	No specific health hazards known. No specific acute or chronic health impact noted, but this
hazards	chemical may still have adverse impact on human health, either in general or on certain individuals with pre-existing or latent health problems.
SECTION 12: Ecological Infor	nation
Ecotoxicity	Not regarded as dangerous for the environment.
12.1. Toxicity	
Toxicity	Not considered toxic to fish.
Acute toxicity - fish	No information required.
Acute toxicity - aquatic nvertebrates	No information required.
Acute toxicity - aquatic plants	No information required.
Acute toxicity - microorganisms	No information required.
12.2. Persistence and degrada	bility
Persistence and degradability	There are no data on the degradability of this product.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobility in soil	
Mobility	The product is water-soluble and may spread in water systems.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not known.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	<u>S</u>
General information	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport inform	nation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
Road transport notes	Not classified.
Rail transport notes	Not classified.

Air transport notes Not classified.

14.1. UN number

No information required.

14.2. UN proper shipping name

No information required.

14.3. Transport hazard class(es)

No information required.

Transport labels

14.4. Packing group

No information required.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

SECTION 15: Regulatory information

No information required.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to No information required. Annex II of MARPOL 73/78 and the IBC Code

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
EU legislation	Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).
	Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a lis of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.
	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Guidance	Workplace Exposure Limits EH40.
Authorisations (Title VII Regulation 1907/2006)	No specific authorisations are known for this product.
Restrictions (Title VIII Regulation 1907/2006)	No specific restrictions on use are known for this product.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Issued by	David Bray
Revision date	24/03/2015
Revision	2
SDS number	13350
Risk phrases in full	NC Not classified. R11 Highly flammable. R36 Irritating to eyes. R67 Vapours may cause drowsiness and dizziness.
Hazard statements in full	 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE, Chloromethylisothiazol-3-one and Methylisothiazol-3-one. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.