

### **Dell Capacity Magenta Toner Cartridge**

#### **Section 1 - Product and Company Identification**

Laser Printer Family: Dell Laser Printer 3010cn

**Product Description:** 

Dell Capacity Magenta Toner Cartridge

Information: 1-800-W W W-DELL Manufacturer: Dell Inc.

One Dell Way

**Emergency:** 1-800-551-8553 Round Rock, TX, USA 78682

Prepared By: Product Environmental Programs

### Section 2 - Composition / Information on Ingredients

#### Chemical Nature:

atare.		
Chemical Name	Ingredients (% by wt.)	CAS Registry Number
Styrene/acrylate copolymer	60 – 70	_
Mn-Mg-Sr ferrite powder	10 – 20	_
Polyethylene	<10	_
Red pigment	<10	
Amorphous silica	<10	7631-86-9
Carbon black	<10	1333-86-4
Titanium dioxide	<1	13463-67-7

UN Hazard Class : None UN Number : None

#### **Section 3 - HAZARDOUS IDENTIFICATION**

Physical and Chemical Hazard: There are no significant hazards associated with this product. Adverse Human Health Effects: There are no significant hazards associated with this product. Environmental Effects:

There are no significant hazards associated with this product.

#### **Section 4 - FIRST-AID MEASURES**

Eye contact : Flush with a large amount of water for at least 15 minutes. Seek medical advice.

Skin contact : Wash with soap and water.

Inhalation : Remove from exposure and provide fresh air. Rinse mouth with water.

Ingestion : Rinse mouth with water. Give several glasses of water to drink and seek medical

advice.

#### **Section 5 - FIRE-FIGHTING MEASURES**

Specified method : In case of fire use extinguishing media.

When in a machine, treat as an electrical fire.

Extingishing media : Water spray, Foam, Dry chemicals, CO<sub>2</sub>



# Material Safety Data Sheet XH005

#### Section 6 - ACCIDENTAL RELEASE MEASURES

Shut off ignition sources. For small spills, sweep up or soak up with damp cloth. For large spills, wear proper protective equipment and collect them in closed container. Dispose off in accordance with federal, state and local regulations.

#### **Section 7 - HANDLING AND STORAGE**

Handling : Do not incinerate toner or a toner cartridge. Do not dissemble a cartridge. Storage : Keep in cool, dry and well-ventilated area. Keep out of reach of children.

#### Section 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

**Control Parameter** 

ACGIH TLV (2013) : 10 mg/m<sup>3</sup> (Total)

3 mg/m<sup>3</sup> (Respirable)

Precautionary Mesured : None required when used as intended in Dell equipment.

For use other than normal customer operating procedures (such as in bulk toner processing facilities), local exhaust ventilation may be

required.

Personal Protective Equipment: None required when used as intended in Dell equipment.

For use other than normal customer operating procedures(such as in bulk toner processing facilities), protective glove, goggles and respirators

may be required.

#### Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Odor: Red Powder / Faint Odor

Solubility in water: Negligible Other Data: None

#### **Section 10 - STABILITY AND REACTIVITY**

Flash Point(OC) :Not applicable Auto-Ignition Temperature:Not applicable

Explosion Limit :Not applicable

Flammability :Not flammable under conditions of use Spontaneous Combustibility / Reactivity with water :None Self-reactivity / Explosive :None

Dust Explosive : Like most organic materials in powder form, it can form explosive mixtures when

dispersed in air.

Stability and Reactivity :Stable Other Data :None

#### Section 11 - TOXICOLOGICAL INFORMATION

Skin Corrosive : Not a corrosive Skin Irritant (rabbit) : Not an irritant \*\*1



# Material Safety Data Sheet XH005

Eye Irritant (rabbit) : Not an irritant (based on toxicity data of the ingredients of print)

Skin Sensitization (guinea-pig) : Not a sensitizer × 1

Acute Toxicity Swallowed→LD50 (rat) : > 5000 mg/kg%1 (practically non-toxic)

(based on toxicity data of the ingredients of print)

Skin→LD50 (rabbit) : > 5000 mg/kg※1 (practically non-toxic)

(based on toxicity data of the ingredients of print)

Inhaled→LC50 (rat) :> 4.1mg/L/4hr1¾1 (practically non-toxic)

(based on toxicity data of the ingredients of print)

Chronic Toxicity : The results obtained from a supplyer sponsored, Chronic Toner Inhalation Study, demonstrated no lung change in rats for the lowest (1mg/m3) exposure level (i.e. the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of the animals at the middle (4mg/m3) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m3) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with EPA testing protocol. The test toner was ten times more respirable than commercially available supplyer toner, and would not be functionally suitable for Dell equipment.\*\*

Carcinogenicity : Carbon Black is classified as "Group 2B(possibly carcinogenic to humans)" by The International Agency for Research on Cancer (IARC). But we obtained the results from a Chronic Toner Inhalation Study, that commercially available supplyer toner has no evidence of human carcinogens. Titanium dioxide is classified as Group 2B by IARC. In animal chronic inhalation study, rats only showed the incidence of lung tumors which is attributed to excessive burden on rat lung clearance mechanism (overloading). It is assumed that a designated use of this product should not cause such excessive burden on lung clearance mechanism. Epidemiological studies provide no clear evidence of elevated risks of lung tumors mortality or morbidity among the workers exposed to TiO2 dust.

All other ingredients are not classified as "Carcinogens ref.1".

Mutagenicity: Ames Assay : Negative

Reproduction and Development : Not classified as "Reproductive and Development chemicals ref.2"

¾1 This information is based on toxicity data for similar materials and ingredients.

#### **Section 12 - ECOLOGICAL INFORMATION**

Biodegradability : Not available Bioaccumulation : Not available

Acute Toxicity : Fish 96hr LC50 (Oryzias latipes): >500mg/L¾1 (practically non-toxic)

(based on toxicity data of the ingredients of print)

Daphnia 48hr EC50 (Daphnia magna): >100mg/L¾1 (practically non-toxic)

(based on toxicity data of the ingredients of print)

Algae 72hr EC50 (Selenastrum capricornutum): Not available

Other Information: None

X1 This information is based on toxicity data for similar materials and ingredients.

#### **Section 13 - DISPOSAL CONSIDERATION**

Dispose off in accordance with national and local regulations.

#### **Section 14 - TRANSPORT INFORMATION**

Transport in accordance with national and local regulations.

#### Section 15 - REGULATORY INFORMATION

Ensure this product in compliance with national requirements and ensure conformity to local regulations.

#### **Section 16 - OTHER INFORMATION**



# Material Safety Data Sheet XH005

The above mentioned data correspond to our present state of knowledge and experience, but no warranty is made. Users should consider these data only as a supplement to other information and must make independent determination of the suitability and completeness of information from all sources to ensure proper use and disposal of the materials and safety and health of employees and customers.

#### References

- - ◆ National Toxicology Program(NTP) Report on Carcinogens (NTP)
  - ◆ TLVs and BEIs (American Conference of Governmental Industrial Hygienists)
  - ◆ Council Directive 67/548/EEC on the approximation of the laws, regulations, and administratives provision s relating to the classification, packing and labelling of dangerous substaces; Annex 1 (EU)
  - ◆ Journal of Occupational Health(Japan Society for Occupational Health)
- 2: Council Directive 67/548/EEC on the approximation of the laws, regulations, and administratives provisions relating to the classification, packing and labelling of dangerous substaces; Annex 1 (EU)